

APPROVED: Signature On File In EMS Office  
 Executive Director


Signature On File In EMS Office  
 Medical Director

EFFECTIVE DATE 7/01/2011  
 SUPERSEDES: \_\_\_\_\_  
 REVISED: \_\_\_\_\_  
 REVIEW DATE: 7/01/2016  
 PAGE: 1 of 2

**BURNS**

- I. AUTHORITY: Health and Safety Code, Division 2.5, California Code of Regulations, Title 22, Division 9
- II. PURPOSE: To serve as a patient treatment standard for EMTs and Paramedics within their scope of practice.
- III. PROTOCOL:

<b>STANDING ORDERS</b>	
<b>MOVE PATIENT</b>	To a safe environment
<b>ASSESS</b>	CAB
<b>COOLING PROCESS</b>	<p style="margin-left: 40px;"><u>Tar Burns</u>: Cool with water and transport. Do not attempt to remove tar.</p> <p style="margin-left: 40px;"><u>Thermal Burns</u>: Cool with water for up to 5 minutes to stop the burning process.</p>
<b>OXYGEN</b>	Oxygen delivery as appropriate
<b>SECURE AIRWAY/ INTUBATE</b>	Consider EARLY intubation if ineffective ventilation/oxygenation, or if patient is unconscious. Otherwise, use the simplest effective method. A BLS airway with objective evidence of good ventilation and oxygenation is adequate and acceptable. Refer to General Protocol 554.00
<b>IV/IO ACCESS</b>	<p><b>Superficial Burns:</b> TKO</p> <p><b>Partial and full-thickness burns:</b> 0.5 ml times patient weight in kg times % of burn = IV fluid per hour. If systolic BP less than 90mmHg, give 250 ml boluses until systolic BP 90-100. Reassess patient after each bolus.</p> <p><b>Major Burns:</b> Two 14-16 gauge in patients with major burns (greater than 9%) TKO. If systolic BP less than 90mmHg, give 250 ml boluses to systolic BP 90-100. Reassess the patient after each bolus.</p> <p>IV site in order of preference:</p> <ol style="list-style-type: none"> <li>1. unburned upper extremity, or external jugular</li> <li>2. unburned lower extremity</li> <li>3. burned upper extremity</li> <li>4. burned lower extremity</li> </ol>
<b>MONITOR</b>	Treat rhythm as appropriate.
<b>DRESS BURNS</b>	Cover with dry dressing and keep patient warm.
<b>PAIN MANAGEMANT</b>	Refer to Pain Management Protocol 554.44
<b>TRANSPORT</b>	To nearest facility if patient is unstable (airway difficulty, hypotension) or according to Trauma Triage and Patient Destination Policy 553.25 if stable.



<u>Adult Body Part</u>	<u>% of Total Body Surface</u>
Arm (shoulder to fingertips)	9 (x2)
Head/Neck	9
Groin	1
Leg	18 (x2)
Anterior trunk	18
Posterior trunk	18

*The patient's palm (hand minus fingers) is about 1% of the patient's body surface area.*