

APPROVED: SIGNATURE ON FILE IN EMS OFFICE  
Executive Director  
  
SIGNATURE ON FILE IN EMS OFFICE  
Medical Director

EFFECTIVE DATE 01/01/2004  
SUPERSEDES: \_\_\_\_\_  
REVISED: \_\_\_\_\_  
REVIEW DATE: 01/2009  
PAGE: 1 of 3

---

---

**CHILDBIRTH**

I. AUTHORITY: Health and Safety Code, Division 2.5, California Code of Regulations, Title 22, Division 9

II. DEFINITIONS:

A. Designated Hospital ~~means any of~~ may include any of the following facilities:

- Sutter-Roseville Medical Center, Roseville
- U.C. Davis Medical Center, Davis
- Madera Childrens, Madera
- Regional Medical Center, Fresno
- San Joaquin General, Stockton
- Washoe Medical Center, Reno NV
- Doctors Medical Center, Modesto\*
- Memorial Medical Center, Modesto\*

\*These facilities are considered equidistant for purposes of determining closest facility located in Modesto.

III. PURPOSE: To serve as the treatment standard for EMTs ~~Is~~ and EMT-Ps in treating patients.

IV. PROTOCOL:

**STANDING ORDERS**

**ALL DELIVERIES**

~~(as time permits)~~  
~~(Mother)~~

ABC's

**OXYGEN**

Oxygen delivery as appropriate

**MONITOR**

Treat rhythm as appropriate

**ROUTINE DELIVERY**

**TRANSPORT**

Transport with mother placed on left side, ~~if time permits.~~

**DELIVER NEWBORN**

As head is delivered, gently suction newborn's mouth and nose, keeping the head dependent. Use hand on head to prevent explosive delivery. If cord is wrapped around neck and cannot be slipped over the newborn's head, double clamp and cut between clamps. Complete delivery of newborn's body. Dry newborn and keep warm. Place newborn on mother's abdomen or breast. Double clamp and cut cord between clamps 6 – 8 inches from newborn.

**ASSESS NEWBORN**

Refer to Newborn Resuscitation Policy 555.10

**MESSAGE**

~~Following delivery of placenta~~ Massage Fundus

**FUNDUS FOLLOWING**

**DELIVERY OF PLACENTA**

**BREECH PRESENTATION**

**TRANSPORT**

Code 3 while maintaining airway for newborn to a Designated Hospital.

**CONSULT BASE PHYSICIAN**

**DELIVER NEWBORN**

For a buttocks presentation, allow newborn to deliver to waist. Support the limbs and torso. Use hand on torso to prevent explosive delivery. When legs and buttocks are delivered, the head can be assisted out. If the head does not deliver rapidly, insert gloved hand into vagina, palm towards baby's face and cord between fingers to create an airway.

**STANDING ORDERS CONTINUED NEXT PAGE**

**STANDING ORDERS CONTINUED**

**PROLAPSED CORD**

**TRANSPORT**

Code 3 while maintaining maternal position and cord protection to a Designated Hospital.

**POSITION**

Place the mother supine with her hips elevated on pillows, or in knee-chest position, face down.

**PROTECT CORD**

Insert gloved hand into vagina and gently push the presenting part off the cord. Cover exposed portion of cord with saline-soaked gauze. Do not attempt to push cord back into vagina.